




john.markham@gmail.com  
 qee.y.zhao@gmail.com  
 weijieq1229@gmail.com




② = A:



B:



B:




3

A:

john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com


BACK OF Syringe




C:



4:






Interconnections :




john.markham@gmail.com  
 qee.y.zhao@gmail.com  
 weijieq1229@gmail.com


① :



A :




john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com




PE Prime Pumps  
& Waste Valves

PE Prime  
Bypass Valves





3 :


john.markham@gmail.com  
 qee.y.zhao@gmail.com  
 weijieq1229@gmail.com



J8 :  $\left\{ \begin{array}{l} VICI \ A1 \quad KLOEHN \ A \\ VICI \ A2 \quad KLOEHN \ B \\ VICI \ B1 \\ VICI \ B2 \end{array} \right\}$  slightly (Serial ports.)  
 thicker




J11:  
CHEMISTRY  
MODULE




J1  
REAGENT  
CHILLER  
BOARD

J12:



J1





J14:



J4  
COOLANT  
BOARD

john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com



john.markham@gmail.com  
 qee.y.zhao@gmail.com  
 weijieq1229@gmail.com

X1 & X2 & X5

X1

006-2143  
 X1 MOTOR  
 10110

X2




006-2024-1.5  
 X2 - FEEDBACK  
 10110

goes to  
 the back of  
 the cord under  
 the flow cell tray.

X5:


006-2024-1.5  
 X5 - LIMITS  
 10110




CAMERA  
POWER:  
B F



Z-STAGE  
VOLTAGE  
STRAIN  
GAUGE



DIGITAL  
LASER  
CONTROL




RS232 CONTROL LASER POWER

LASER BOX

RS232 CONTROL LASER POWER





LASER BOX

OPTICAL  
BENCH  
INTERFACE



john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com






john.markham@gmail.com  
 qee.y.zhao@gmail.com  
 weijieq1229@gmail.com

▷ Vacuum Pump (Suck the flow cell down)

john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com




o Cooling System :

On cooling system board

J20


4 Pair of 24VDC

MOLEX WHITE 8 Positions  
PLUG



Cooling water (with coolant):

- 1 : Pump → Flow Cell Cooling Pad 1 → Flow Cell Cooling Pad 2 → Flow Sensor 1 → Fan 1 → Tank  
↳ Under optical bench
- 2 : Pump → Frame Grabber A & G → Frame Grabber T & C → Flow Sensor 2 → Fan 2 → Tank
- 3 : Pump → Fridge Cooling Block A → Fridge Cooling Block B → Flow Sensor 3 → Fan 3 → Tank.



Flow Sensor 1 & 2 & 3 ↓

J22 FLOW SENSORS on Cooling System Board  
MOLEX BLACK 14 Positions Plug.

john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com

J28 = SPARE 24VDC

J22 = Coolant Flow Sensor

COOLANT PUMPS (24VDC Power)


Liquid level detector  
→  
u1 u2  
↓  
Coolant Pump

J26 →

J27 →

J19:  
Power to Fans

J29:  
sensor



J24  
↑  
Ⓐ Pressure Sensor  
Ⓟ

J7  
↑  
To Vacuum Pump

J5: Power from MotherBoard  
J6: 24VDC Power to Vacuum Pump

J4: From MotherBoard

john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com

### Rest Jacks on Cooling System Board / COOLANT BOARD

J28 = SPARE 24VDC MOLEX BLACK 8 Positions Plug.

J19: Power to Fans MOLEX BLACK 10 Positions Plug.


J29: A Sensor : ~~From~~ MOLEX BLACK 2 Positions Plug.

J4: From MotherBoard J14




J5: From MotherBoard

(Power)



To 5 little Fans of Fridge  
↑ (To chiller interior)

To Motherboard ← J11  
(CHEMICAL MODULE)



chillerB  
←

Sensor  
←

→ chillerA

→ Sensor

←  
Chiller B  
on Fridge



To Motherboard: long Green Socket below J9  
(CHEMICAL MODULE)

→ chiller A on Fridge

Poor Sensor  
(Magnetic Sensor)

john.markham@gmail.com  
qee.y.zhao@gmail.com  
weijieq1229@gmail.com